

PERSONAL PROTECTIVE EQUIPMENT



**KHOMBA HOLDINGS
(PTY) Ltd**

“PROFESSIONAL IN WELDING EQUIPMENT & INDUSTRIAL SUPPLIES”

CONTACT US

Email us: info@khombaholdings.co.za

mark@khombaholdings.co.za

call us: 081 340 4918

071 062 4711

Website: www.khombaholdings.co.za



| | | |
|---|-------|---|
| Strike Master Gloves | | 3 |
| Strike Master Aprons | | 4 |
| Strike Master Spats | | 4 |
| Taurus Long Life Gloves | | 5 |
| Taurus Long Life Apron | | 5 |
| Taurus Long Life Sleeve | | 5 |
| Taurus Long Life Welders Jacket (M-XXL) | | 5 |
| Taurus Flip Front Helmet & Accessories | | 6 |
| Taurus Solar Auto Darkening Helmet | | 6 |
| Taurus Respiratory Helmet | | 7 |

| Item | Reference | Description |
|---------|------------|--|
| BW0035 | 50mm Cuff | Strike Master Grey Chrome Leather Gloves |
| BW0042 | 200mm Cuff | Strike Master Grey Chrome Leather Gloves |
| BW0078 | 400mm Cuff | Strike Master Grey Chrome Leather Gloves |
| BW0043 | 50mm Cuff | Strike Master Green Chrome Leather Gloves |
| BW0052 | 200mm Cuff | Strike Master Green Chrome Leather Gloves |
| BW0057 | 400mm Cuff | Strike Master Green Chrome Leather Gloves |
| BW00016 | 50mm Cuff | Strike Master Candy Stripe Leather Gloves |
| BW0083 | 200mm Cuff | Strike Master Blue Heat Gloves - Yellow Palm |
| BW0084 | 200mm Cuff | Strike Master Red Heat Leather Gloves |
| BW00102 | 50mm Cuff | Strike Master Red Heat Leather Gloves |
| BW115 | 50mm Cuff | Strike Master TIG Gloves - Goat Skin |



Strike Master Grey Chrome Leather Gloves



Strike Master Green Chrome Leather Gloves



Strike Master Candy Stripe Leather Gloves



Strike Master Blue Heat Gloves - Yellow Palm



Strike Master Red Heat Leather Gloves



Strike Master TIG Gloves - Goat Skin

| Item | Reference | Description |
|--------|-----------|---|
| BW0080 | | Strike Master Chrome Leather Apron-2 Piece-90 x 60cm |
| AB019 | | Strike Master Chrome Leather Apron-1 Piece-120 x 60cm |
| BW0040 | | Strike Master Chrome Leather Ankle Spats |



Strike Master Chrome
Leather Apron



Strike Master Chrome
Leather Ankle Spats

| Item | Reference | Description |
|-----------|-------------|-----------------------------|
| P3825 | 190 mm Cuff | Taurus Gauntlet Glove-Tan |
| P3838 | 150 mm Cuff | Taurus Fingertip TIG Glove |
| P3725 | | Taurus Apron |
| P3765 | | Taurus Leather Sleeve |
| P3788-M | | Taurus Welders Jacket - M |
| P3788-L | | Taurus Welders Jacket - L |
| P3788-XL | | Taurus Welders Jacket - XL |
| P3788-XXL | | Taurus Welders Jacket - XXL |



Taurus Gauntlet Glove-Tan



Taurus Fingertip TIG Glove



Taurus Apron



Taurus Welders Jacket



Taurus Chrome Leather Sleeve

| Item | Description |
|--------------|---|
| HSTD01 | Taurus Flip Front Helmet-Standard |
| HSTD02 | Replacement Head Band-Standard Flip Front |
| WF-E2005I-8 | Shaded Lens-Flip Front Helmet-Shade 8 |
| WF-E2005I-9 | Shaded Lens-Flip Front Helmet-Shade 9 |
| WF-E2005I-10 | Shaded Lens-Flip Front Helmet-Shade 10 |
| WF-E2005I-11 | Shaded Lens-Flip Front Helmet-Shade 11 |
| WF-E2005I-12 | Shaded Lens-Flip Front Helmet-Shade 12 |
| CLOI | Clear lens-Flip Front Helmet-Glass |



Taurus Flip Front
Helmet-Standard



Replacement Head Band-
Standard Flip Front

| Type | LY200HS | LY300BS | LY600A |
|------------------------------|------------------|--------------------------|-------------------|
| Filter Size | 110mm×90mm×9mm | 110mm×90mm×9mm | 110mm×90mm×9mm |
| Active Viewing Area | 90mm×34mm | 90mm×34mm | 92.5mm×42.5mm |
| Light Shade | DIN3 | DIN4.5 | DIN4 |
| Dark Shade | DIN13 | DIN8.5 ~ 12.5 | DIN9 ~ 13 |
| Shade Control | No | External, Variable | External Variable |
| Switching Time | 6/10000S | 5/10000S | 3/10000S |
| Sensitivity Adjustment | No | Stepless Control | Stepless Control |
| Delay Time | 0.2S | 0.1S ~ 0.8S | 0.1S ~ 0.8S |
| Power Supply | Li-battery&Solar | 7#alkaline battery&Solar | Li-battery&Solar |
| Rated Capacity of Li-battery | 210mAH | | 600mAh |
| Replaceable battery | No | Yes | Yes |
| Operating Temperature | -5°C ~ 55°C | -5°C ~ 55°C | -5°C ~ 55°C |
| Arc Sensor | 2 | 2 | 2 |
| Mask Material | PP | PP | PP |
| UV/IR Protection | DIN16 | DIN16 | DIN16 |
| Test | NO | NO | Yes |
| Low Battery | NO | NO | Yes |
| Grind | NO | NO | Yes |
| Cut | NO | NO | NO |



YOGA-718G

| Technical data | |
|---------------------|--|
| PAPR Machine | Including filter box pre-filter, battery |
| PAPR Weight | 1.1kg |
| Air Flow | Variable Flow: 170/220 LT MIN |
| Spark Arrestor | Stainless steel |
| Battery | 14.8V/2.2AH LI/ION 500 Cycles |
| Pre Filter | Activated Carbon |
| Filter | P3 Hepa filter |
| Low Air Flow | 10 hours |
| High Air Flow | 7.5 hours |
| Recharge | From flat 1.5 hours |
| Air Hose | Pu |
| Sleeve | F/R Cotton air hose cover |
| Belt | Adjustable belt, Shoulder harness |
| Warning Alarms | Audible & visual for low power, clogged. Filter reduced air flow |
| Controls | Push button |
| Dimensions | 224 x 190 x 70mm |
| Optical Class | 1 / 2 / 1 / 2 |
| Viewing Area | 92x42mm |
| Cartridge Size | 110x90x9mm |
| Arc Sensor | 2 |
| Light State | DIN 4 |
| Dark State | Variable shade, 9 ~13 |
| Shade Control | External, Variable |
| Power On/Off | Fully Automatic |
| Sensitivity Control | Low – High, by infinitely dial knob |
| UV/IR Protection | DIN 16 |
| Power Supply | Solar cells. Re-chargeable battery. No battery change required. |



| | |
|-------------------|------------------------------------|
| Switching Time | 1/25000S, from Light to Dark |
| Dark to Light | 0.1 - 1.0S by infinitely dial knob |
| Low Amperage TIG | ≥10amps(DC), ≥10amps(AC), |
| Grinding Function | YES |
| Low Volume Alarm | NO |
| ADF self-check | NO |
| Operating Tep. | -5°~+55° |
| Storing Tep. | -20°~+70° |
| Warranty | 1 Year |
| Weight | 490g |
| Packing Size | 224 x 190 x 70mm |



contact us: 081 340 4918 / 071 062 4711

Email us: info@khombaholdings.co.za

mark@khombaholdings.co.za

khombaholdings.co.za